


42. MLウォール（宅認用 1.0t/m²）




呼び名	寸 法 (mm)											連結金具 (個)	参考重量 (kg)
	H	B	t1	t2	t3	t4	Hw1	Hw2	Ht	LW	L		
750	750	600	102.5	100.0	109	100	525	225	350	525	2,000	4	630
1,000	1,000	750	100.0		130	130		475	600				820
1,250	1,250	900	105.5	103.5				725	750				1,170
1,500	1,500	1,050	100.0	100.0	975	1,000		1,360					
1,750	1,750	1,200	108.2	105.3	160	160	625	1,125	1,050	475		6	1,850
2,000	2,000	1,350	100.0	100.0				1,375	1,300				2,040
2,250	2,250	1,500	109.7	106.3	190	190		1,625	1,450				2,650
2,500	2,500	1,650	100.0	100.0				1,875	1,700				2,850
2,750	2,750	1,800	110.8	107.1	220	220	875		1,850				3,570
3,000	3,000	1,950	100.0	100.0			2,125	2,100	3,770				
許容差	+10-5	+10-5	+5-2	+5-2	+5-2	+5-2	-	-	-	-	+10-5	-	-


※参考重量が、2 t 以上は車上渡しとなります。

42. MLウォール（宅認用コーナー 1.0t/m²）


断 面 図




コーナー角度 90° 用



コーナー角度 120° 用



コーナー角度 150° 用



42. MLウォール（宅認用コーナー 1.0t/m²）

呼 び 名	寸 法 (mm)																参考重量 (kg)
	θ	H	H1	B	B1	L	t1	t2	t3	t4	t5	t6	R1	C1	D	C	
750- 90	90	750	650	600	490	1,000	102.5	109.0	100	100	102.5	110	100	150	7.5	400	526
750-120	120			650	540											625	582
750-150	150			650	540											826	617
1,000- 90	90	1,000	900	800	690	1,000	100.0	109.0	100	100	100.0	110	100	150	10.0	200	673
1,000-120	120															538	744
1,000-150	150															786	797
1,250- 90	90	1,250	1,120	950	820	1,200	117.5	128.7	130	130	117.5	130	150	150	12.5	250	1,205
1,250-120	120			1,000	870	423										1,097	
1,250-150	150			950	820	488										1,180	
1,500- 90	90	1,500	1,370	1,100	970	1,400	115.0	128.7	130	130	115.0	130	150	150	15.0	300	1,686
1,500-120	120			1,150	1,020	1,200										536	1,578
1,500-150	150			1,150	1,020	1,000										698	1,409
1,750- 90	90	1,750	1,590	1,250	1,090	1,600	142.5	158.4	160	160	142.5	160	200	200	17.5	350	2,743
1,750-120	120			1,350	1,190	1,300										521	2,433
1,750-150	150			1,350	1,190	1,000										638	1,994
2,000- 90	90	2,000	1,840	1,550	1,390	1,700	140.0	158.4	160	160	140.0	160	200	200	20.0	150	3,309
2,000-120	120			1,600	1,440	1,400										476	2,986
2,000-150	150			1,500	1,340	1,000										598	2,234
2,250- 90	90	2,250	2,060	1,650	1,460	1,900	167.5	188.1	190	190	167.5	190	250	250	22.5	250	4,908
2,250-120	120			1,750	1,560	1,500										490	4,200
2,250-150	150			1,650	1,460	1,100										658	3,243
2,500- 90	90	2,500	2,310	1,800	1,610	2,100	165.0	188.1	190	190	165.0	190	250	250	25.0	300	6,037
2,500-120	120			1,950	1,760	1,600										474	4,955
2,500-150	150			1,900	1,710	1,100										591	3,605
2,750- 90	90	2,750	2,530	1,950	1,730	2,300	192.5	217.8	220	220	192.5	220	300	300	27.5	350	8,397
2,750-120	120			2,050	1,830	1,800										616	7,072
2,750-150	150			2,000	1,780	1,200										664	4,933
3,000- 90	90	3,000	2,780	2,370	2,150	2,430	190.0	217.8	220	220	190.0	220	300	300	30.0	400	9,671
3,000-120	120			2,200	1,980	2,000										730	8,600
3,000-150	150			2,150	1,930	1,400										824	6,327
許 容 差	-	+10-5	-	+10-5	-	+10-5	+5-2	+5-2	+5-2	+5-2	+5-2	-	-	-	-	-	-

※参考重量が、2 t 以上は車上渡しとなります。

※上記以外のコーナー角度は、ご相談ください。